

# RE: Draft East Chicago Notification and Q&A Document: For Your Review

Crowley Engineering <crowley@eastchicago.com>

Wed 12/07/2016 10:40 AM

To: Korleski, Christopher <korleski.christopher@epa.gov>;

Cc: Poy, Thomas <poy.thomas@epa.gov>; Bair, Rita <bair.rita@epa.gov>; Deltoral, Miguel <deltoral.miguel@epa.gov>; Rowan, Anne <rowan.anne@epa.gov>; Cassell, Peter <cassell.peter@epa.gov>; Bassler, Rachel <Bassler.Rachel@epa.gov>; Kaplan, Robert <kaplan.robert@epa.gov>; Carla Morgan <cmorgan@eastchicago.com>; Diana Schmoe <diana@crowleyengineering.com>;

Categories: Red Category

Hi Chris:

I can talk at 3:15 pm today instead. I will have to make a hard-stop at 4:00 pm though for another meeting obligation. Is there a conference line that you can provide for all of the participants?

Thanks,  
Greg

---

**From:** Korleski, Christopher [korleski.christopher@epa.gov]

**Sent:** Wednesday, December 07, 2016 10:00 AM

**To:** Crowley Engineering

**Cc:** Poy, Thomas; Bair, Rita; Deltoral, Miguel; Rowan, Anne; Cassell, Peter; Bassler, Rachel; Kaplan, Robert; Carla Morgan

**Subject:** RE: Draft East Chicago Notification and Q&A Document: For Your Review

Hey Greg:

Thanks for getting back to me.

The only meeting I have today that I can't move is from 2-3 (with folks who are traveling in from out of state). I can clear my schedule anytime after 3:00 for a call with you and will try to make sure other appropriate EPA team members (who can answer technical Qs better than I can ) are available too. Do you have any flexibility?

Thanks for your consideration.

Chris

---

**From:** Crowley Engineering [mailto:crowley@eastchicago.com]  
**Sent:** Wednesday, December 07, 2016 9:53 AM  
**To:** Korleski, Christopher <korleski.christopher@epa.gov>  
**Cc:** Poy, Thomas <poy.thomas@epa.gov>; Bair, Rita <bair.rita@epa.gov>; Deltoral, Miguel <deltoral.miguel@epa.gov>; Rowan, Anne <rowan.anne@epa.gov>; Cassell, Peter <cassell.peter@epa.gov>; Bassler, Rachel <Bassler.Rachel@epa.gov>; Kaplan, Robert <kaplan.robert@epa.gov>; Carla Morgan <cmorgan@eastchicago.com>  
**Subject:** RE: Draft East Chicago Notification and Q&A Document: For Your Review

Hi Chris:

I was on the road through late yesterday, so I didn't get a chance to see your e-mail until this morning. I would be interested in having a phone call this afternoon to discuss the draft documents. Are you available for a call at 2 pm today?

Thanks,  
Greg

---

**From:** Korleski, Christopher [korleski.christopher@epa.gov]  
**Sent:** Tuesday, December 06, 2016 3:50 PM  
**To:** Crowley Engineering  
**Cc:** Poy, Thomas; Bair, Rita; Deltoral, Miguel; Rowan, Anne; Cassell, Peter; Bassler, Rachel; Kaplan, Robert; Korleski, Christopher  
**Subject:** Draft East Chicago Notification and Q&A Document: For Your Review

Hi Greg:

I am attaching for the City's review:

1. The draft script for notifying East Chicago residents about the lead levels found in their drinking water samples; and
2. A draft Q&A relating to the lead levels found in the residents' drinking water samples.

The draft notification script (as well as the Q&A) is undergoing EPA HQ review, and may be subject to change. Nevertheless, we think this is pretty close to final and would like to know if the City concurs with the draft so, barring any major changes, we can proceed with notifying the residents.

We're also sharing these two draft documents with IDEM and asking them to concur as well. Our goal is to make sure that EPA, IDEM and the City are all on the same page with regard to what we will be telling the homeowners about the lead levels found in the drinking water samples collected from their homes.

Miguel Deltoral may have already reached out to you, but can you please tell me if you have any time tomorrow (Thursday) to talk with us about these documents so we can move forward?

Thanks for your assistance, and any Qs, please let me know. My direct is 312 353 8320.

Chris

---

Chris Korleski

Director, Water Division, Region 5  
U.S. Environmental Protection Agency  
77 W. Jackson Blvd. (W-15J)  
Chicago, IL 60604  
312 886-1432 (Liz Rosado, Assistant)  
312 353-5498 (General Office Number)  
[korleski.christopher@epa.gov](mailto:korleski.christopher@epa.gov)